## PERSONAL INJURY VERIFICATION

Name		Email	
Home PhoneAddress		Cell Phone	
Address		_ City	Zip Code
Birth Date	Age	Marital Status	
Employer		Occupation	
Name of Spouse			
In case of emergency, please notify _			Phone
	N	MED-PAY	
Policy Holder			
Insurance			
CityPolicy Number	State		Zip
Policy Number		Claim Number _	
\$ Amount of coverage available		Adjuster	
Phone Number		Fax Number	
Policy Holder		TY (3RD PARTY)	
Insurance			
Insurance City Policy Number \$ Amount of coverage available.	State		Zip
Policy Number		Claim Number	
Timount of coverage available			
Phone Number		Fax Number	
	A	TTORNEY	
Name			
Address	City _		State
Zip Phone _			
Paralegal/Contact		·	

## AUTO ACCIDENT PATIENT HISTORY

Name			Date			
History of the Occur	rrence					
Date of Accident		Were you the	DRIVER or	PASSENGER		
WI 44 C 1: 1	· a CAD	TRUCK MAN	OTHER			
What type of vehicle Was it YOUR or SO	=			t? YES or NO		
Your vehicle: HIT A	NOTHER VEHICL	E or WAS HIT				
In the: RIGH	T LEFT	REAR	FRONT	SIDE		
Type of Accident:	HEAD-ON COLL	ISION 1	REAR-END CC	OLLISION		
BROADSIDE COLLISION FRONT IMPACT(rear-end car in front) NON-COLLISION						
Symptoms From Th	<u>e Accident</u>					
Did you get bleeding	cuts or bruises? Y	ES or NO				
If Yes what bleeding	cuts did you get fro	om this accident?				
If Yes, what bruises d	lid you get from this	s accident?				
Please describe how y	_	-				
immediately after the Later that day/night	accident					
The next day						
List of Medications						
Medication	on F	Purpose of Taking M	<b>ledication</b>	Any Side Effects		
Work Status History						
Occupation or Job Tit Have you missed time		S or NO				
If Yes, full time off w						
Returned to Modified	l work	to				
( ) Been unable to wo						

#### **Arizona Chiropractic Neurology Center**

#### **Informed Consent Document**

To the patient: Please read this entire document prior to signing it. It is important that you understand the information contained in this document. Please ask questions before you sign if there is anything that is unclear.

#### The nature of the chiropractic adjustment

The primary treatment we use as a Doctor of Chiropractic is spinal manipulative therapy (SMT, CMT). We will use this procedure to treat you. We may use our hands or a mechanical instrument upon your body in such a way as you move your joints. That may cause an audible "pop" or "click", much as you have experienced when you "crack" your knuckles. You may feel a sense of movement.

#### **Analysis/Examination/Treatment**

As part of the analysis, examination, and treatment, you are consenting to the following procedure	As part of the analy	sis, examination,	and treatment,	you are consenting	g to the fol	llowing procedur
--	----------------------	-------------------	----------------	--------------------	--------------	------------------

--Spinal manipulative therapy --Palpation --Vital Signs

--Range of motion testing --Orthopedic testing --Neurological testing

--Postural analysis --EMS/TENS/Galvanic --Imaging and Lab studies as indicated --hot/cold therapy --Stretching --massage therapy --exercise rehabilitation --Microcurrent --low level laser therapy --SSEP --Functional medicine/supplements --Other

#### The material risks inherent in chiropractic care

As with any healthcare procedure, there are certain complications which may arise during chiropractic manipulation and physiotherapy. These complications include but are not limited to: fractures, disc injuries, dislocations, muscle strains, ligament sprains, cervical myelopathy, and burns. Some types of manipulation of the neck have been associated with injuries to the arteries in the neck leading to or contributing to complications including stroke (CVA). Some patients will feel some stiffness and soreness following the first few days of treatment. I will make every reasonable effort during the examination to screen for contraindications to care; however, if you have a condition that would otherwise not come to my attention, it is your responsibility to inform me. Cauda Equina Syndrome has been reported in rare cases which requires immediate medical care.

#### The probability of those risks occurring

Statistically, Chiropractic Care has been demonstrated to be one of the safest of all healthcare practices. Fractures are rare occurrences and generally result from some underlying weakness of the bone which I check for during the raking of your history and examination. CVA has been the subject of tremendous disagreement. The incidences of stroke are exceedingly rare and are estimated to occur one in five million cervical adjustments. Two major studies (2008, 2015) showed there was not causation between CMT and CVA but rather the patient was already presenting with arterial dissection. The other complications are also generally described as rare.

#### The availability and nature of other treatment options

Other treatment options for your condition may include:

- -Self-administered, over-the-counter (OTC) analgesics, ice, head or rest.
- -Medical care and prescription drugs such as anti-inflammatories, muscle relaxants and pain killers.
- -Hospitalization/Surgery

If you choose to use on of the above noted "other treatment" options, you should be aware that there are severe risks associated with these treatments. Many patients taking OTC NSAID's such as Ibuprofen and Acetaminophen are not aware that every year there are thousands of deaths associated with their use. No medicine should ever be taken without discussing their side effects and inherent statistical danger with their primary care physician or pharmacist. The PDR is also a good reference regarding pharmaceutical use.

#### The risks and dangers attendant to remaining untreated

Remaining untreated may create adhesions or scar tissue that can weaken the area and reduce mobility. Further joint degeneration may occur as well as the development of chronic pain syndromes. Over time this process may complicate treatment making it more difficult and less effective the longer it is postponed.

#### DO NOT SIGN UNTIL YOU HAVE READ AND UNDERSTAND THE ABOVE.

I have read or have had read to me the above explanation of the chiropractic adjustment and related treatment. By signing below I state that I have weighed the risks involved in undergoing treatment and have decided that it is in my best interest to undergo the treatment recommended. Having been informed of the risks, I hereby give my consent to that treatment.

DATED:	_PATIENTS NAME:	SIGNATURE
SIGNATURE OF PARENT (	OR GUARDIAN (if minor)	
DATED:	_DOCTOR'S NAME:	SIGNATURE

# ASSINGMENT AND INSTRUCTION FOR DIRECT PAYMENT TO DOCTOR PRIVATE AND GROUP ACCIDENT AND HEALTH INSURANCE

Patient:				
Employer:				
Claim #:				
I hereby instruct and dire by check made out and n			Insurance Company to	рау
		AND Dr. Russe ay Road Suite Ier, AZ 85226		
insurance policy as paym DIRECT ASSIGNMENT OF	ent toward the total cha MY RIGHTS AND BENEFIT above mentioned assigne	rges for the p TS UNDER TH ee, and I have	herwise payable to me under my cu rofessional services rendered. THIS IS POLICY. This payment will not ex agreed to pay any balance of said ment.	IS A
A photocopy of this Assig	gnment shall be considere	ed as effectiv	e and valid as the original.	
I authorize the release of Attorney, or for the purp	•	•	to any Insurance Company, Adjuste	er, or
For all Personal Injury cas	ses, a medical lien/releas	se of lien will l	pe filed and copies will be sent to yo	ou.
I also authorize Doctor to	complain to Insurance C	Commissioner	on my behalf for any reason.	
POLICY: Dr. Trevor Berry Injury Care if	and Dr. Russell Teames v	will only file t	o Major Medical Carriers during Per	sona
•	entialed with that compa o other means for Settlen	•	rsement, ie: 3 <sup>rd</sup> Party Liability, Med	Pay,
Dated at	this	day of	20	

Witness

Signature of Policy Holder/Claimant

### **COMPLAINTS**

Print Name		_	Date				
Please answer all of the below by putting a	checkmark in th	ne appropriate bo	Χ.				
NECK OR CERVICAL SPINE	NONE	MILD	MODERATE	SEVERE			
Neck Pain and Soreness							
Loss of Pain with Movement							
Shoulder Pain							
Pain/Numbness/Tingling in Arm or Hand							
Weakness in Arm or Hand							
MID DACK OF THOD ACIC CRIME	NONE	MILD	MODEDATE	CEVIDIE			
MID-BACK OR THORACIC SPINE Mid-back Pain	NONE	MILD	MODERATE	SEVERE			
Rib or Chest Pain							
Kib of Chest Pain							
LOWER BACK OR LUMBAR SPINE	NONE	MILD	MODERATE	SEVERE			
Lower Back Pain and Soreness							
Loss or Pain with Movement							
Pain into Hips or Buttocks							
Pain into Legs, Knees, or Feet							
Numbness/Burning in Legs or Feet							
OTHER COMPLAINTS	NONE	MILD	MODERATE	SEVERE			
Headaches							
Visual Disturbances/Blurry Vision							
Ringing or Buzzing in Ears							
Nausea or Vomiting							
Difficulty Breathing							
Dizziness							
Recent Weight Loss							
Bowel or Bladder Dysfunction							
		ī	1				
OTHER INJURY AREAS	NONE	MILD	MODERATE	SEVERE			
AGGRAVATED BY	NONE	MILD	MODERATE	SEVERE			
Coughing AGGRAVATED B1	NONE	WIILD	MODERATE	SEVERE			
Sneezing							
Prolonged Sitting							
Prolonged Standing							
Prolonged Riding in a Car							
Lying on Stomach							
27 mg on otonidon		<u> </u>		1			
Patient Signature Doctor Signature							

## **Neck Disability Index**

Patient Name:	Date:

Please Read: This guestionnaire is designed to enable us to understand how much your neck pain has affected your ability to manage every day activities. Please answer each section by circling the ONE CHOICE that most applies to you. We realize that you may feel that more than one statement may relate to you, but please just circle the one choice which closely describes your problem right now.

#### SECTION 1 - Pain Intensity

- I have no pain at the moment.
- The pain is mild at the moment.
- $\mathbf{C}$ The pain comes and goes and is moderate.
- D The pain is moderate and does not vary much.
- Ε The pain is severe and comes and goes.
- The pain is severe and does not vary much.

#### SECTION 2 – Personal Care (Washing, Dressing etc.)

- I can look after myself without causing extra pain.
- I can look after myself normally but it causes pain.
- $\mathbf{C}$ It is painful to look after myself and I am slow and careful.
- D I need some help, but manage most of my personal care.
- I need help every day in most aspects of self-care. Е
- I do not get dressed, I wash with difficulty and stay in bed.

#### **SECTION 3 - Lifting**

- I can lift heavy weights without extra pain.
- I can lift heavy weights, but it causes extra pain.
- Pain prevents me from lifting heavy weights off the floor but I can if they C are conveniently positioned, for example on a table.
- Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned.
- Е I can lift very light weights.
- I cannot lift or carry anything at all.

#### SECTION 4 - Reading

- I can read as much as I want to with no pain in my neck.
- I can read as much as I want to with only slight pain in my neck.
- I can read as much as I want with moderate pain in my neck.  $\mathbf{C}$
- I cannot read as much as I want because of moderate pain in my neck.
- I cannot read as much as I want because of severe pain in my neck.
- F I cannot read at all.

#### **SECTION 5 – Headache**

- I have no headaches at all.
- I have slight headaches which come infrequently.
- C I have moderate headaches which come infrequently.
- I have moderate headaches which come frequently.
- E I have severe headaches which come frequently.
- I have headaches almost all the time.

#### **SECTION 6 – Concentration**

- I can concentrate fully when I want to with no difficulty.
- I can concentrate fully when I want to with slight difficulty. В
- $\mathbf{C}$ I have a fair degree of difficulty concentrating when I want to.
- I have a lot of difficulty in concentrating when I want to. D
- I have a great deal of difficulty concentrating when I want to.
- I cannot concentrate at all.

#### SECTION 7 - Work

- I can do as much work as I want to. Α
- I can only do my usual work, but no more.
- C I can do most of my usual work, but no more.
- D I cannot do my usual work.
- I can hardly do any work at all. Е
- I cannot do any work at all.

#### SECTION 8 - Driving

- Α I can drive my car without neck pain.
- В I can drive my car as long as I want with slight pain in my neck.
- C I can drive my car as long as I want with moderate pain in my neck.
- D I cannot drive my car as long as I want because of moderate pain in my neck.
- Е I can hardly drive my car at all because of severe pain in my neck.
- I cannot drive my car at all.
  - SECTION 9 Sleeping

#### I have no trouble sleeping.

- My sleep is slightly disturbed (less than 1 hour sleepless). В
- My sleep is mildly disturbed (1-2 hours sleepless).  $\mathbf{C}$
- My sleep is moderately disturbed (2-3 hours sleepless). D
- My sleep is greatly disturbed (3-5 hours sleepless).
- My sleep is completely disturbed (5-7 hours sleepless).

#### **SECTION 10 – Recreation**

- I am able to engage in all recreational activities with no pain my neck at all. Α I am able to engage in all recreational activities with some pain my neck.
- I am able to engage in most, but not all recreational activities because of pain in my neck.
- I am able to engage in a few of my usual recreational activities because of D pain in my neck.
- Е I can hardly do any recreational activities because of pain in my neck.
- I cannot do any recreational activities at all.

Comments:

## Revised Oswestry Low Back Pain Questionnaire

Patient Name:	Date:

Please Read: This questionnaire is designed to enable us to understand how much your back pain has affected your ability to manage every day life. Please answer each section by circling the **ONE CHOICE** that most applies to you. We realize that you may feel that more than one statement may relate to you, but please **just circle the one choice which closely describes your problem** *right now*.

В

#### **SECTION 1 – Pain Intensity**

- A The pain comes and goes and is very mild.
- B The pain is mild and does not vary much.
- C The pain comes and goes and is moderate.
- D The pain is moderate and does not vary much.
- E The pain comes and goes and is severe.
- The pain is severe and does not vary much.

#### SECTION 2 – Personal Care (Washing, Dressing etc.)

- A I would not have to change my way of washing or dressing in order to avoid pain.
- $B \qquad \mbox{I do not normally change my way of washing or dressing even though it causes some pain.}$
- C Washing and dressing increases the pain, but I manage not to change my way of doing it.
- D Washing and dressing increases pain and I find it necessary to change my way of doing it.
- E Because of the pain, I am unable to do some washing and dressing without help.
- F Because of the pain, I am unable to do any washing or dressing without help.

#### **SECTION 3 - Lifting**

- A I can lift heavy weights without extra pain.
- B I can lift heavy weights but it gives me extra pain.
- C Pain prevents me from lifting heavy weights off the floor.
- D Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned-eg., on a table.
- E Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned.
- F I can only lift very light weights, at the most.

#### SECTION 4 - Walking

- A Pain does not prevent me from walking any distance.
- B Pain prevents me from walking more than 1 mile.
- C Pain prevents me from walking more than  $\frac{1}{2}$  mile.
- D Pain prevents me from walking more than 1/4 mile.
- E I can only walk using a stick and crutches.
- F I am in bed most of the time and have to crawl to the toilet.

#### SECTION 5 – Sitting

- I can sit in any chair as long as I like without pain.
- B I can only sit in my favorite chair as long as I like.
- C Pain prevents me from sitting more than 1 hour.
- D Pain prevents me from sitting more than ½ hour.
- E Pain prevents me from sitting more than 10 minutes.
- F Pain prevents me from sitting at all.

#### SECTION 6 - Standing

- A I can stand as long as I want without pain.
- B I have some pain while standing, but it does not increase with time.
- C I cannot stand for longer than 1 hour without increasing pain.
- D I cannot stand for longer than ½ hour without increasing pain.
- E I cannot stand for longer than 10 minutes without increasing pain.
- F Pain prevents me from standing at all.

#### SECTION 7 – Sleeping

- A I get no pain in bed.
  - I get pain in bed, but it does not prevent me from sleeping well.
- $\label{eq:D} D \qquad \text{Because of pain, my normal night's sleep is reduced by less than one-half.}$
- E Because of pain, my normal night's sleep is reduced by less than three-quarters.
- F Pain prevents me from sleeping at all.

#### SECTION 8 – Traveling

- A I get no pain while traveling.
- B I get some pain while traveling but none of my usual forms of travel make it any worse.
- C I get extra pain while I'm traveling but it does not compel me to seek alternative forms of travel.
- D I get extra pain while traveling which compels me to seek alternative forms of travel
- E Pain restricts all forms of travel.
- F Pain prevents all forms of travel except that done lying down.

#### SECTION 9 - Social Life

- A My social life is normal and gives me no pain.
- B My social life is normal, but increases the degree of my pain.
- C Pain has no significant effect on my social life apart from limiting my more energetic interests eg. dancing etc.
- D Pain has restricted my social life and I do not go out very often.
- E Pain has restricted my social life to my home.
- F I have hardly any social life because of the pain.

#### SECTION 10 - Changing Degree of Pain

- My pain is rapidly getting better.
- B My pain fluctuates, but overall is definitely getting better.
- C My pain seems to be getting better, but improvement is slow at present.
- D My pain is neither getting better nor worse.
- E My pain is gradually worsening.
- F My pain is rapidly worsening.

#### HEADACHE DISABILITY INDEX

Patien	t Name			<del></del>	Date			
INST	RUCTIONS: Ple 1. I have head 2. My headach	lache: (1)	1 per month		(3) more than one per week (3) severe			
				e is to identify difficulties that you may be experience ach item. Answer each question as it pertains to				
YES	SOMETIMES	NO	E1.	Because of my headaches I feel handicapped.				
			F2.	Because of my headaches I feel restricted in pe	erforming my routine daily activities.			
			E3.	No one understands the effect my headaches h	ave on my life.			
			F4.	I restrict my recreational activities (eg, sports,	hobbies) because of my headaches.			
			E5.	My headaches make me angry.				
			E6.	Sometimes I feel that I am going to lose control because of my headaches.				
			F7.	Because of my headaches I am less likely to so	ocialize.			
			E8.	My spouse (significant other), or family and fr because of my headaches.				
			E9.	My headaches are so bad that I feel that I am g				
			E10.	My outlook on the world is affected by my hea				
			E11.	I am afraid to go outside when I feel that a hea	idaches is starting.			
			E12.	I feel desperate because of my headaches.				
	<del></del>		F13.	I am concerned that I am paying penalties at w	ork or at home because of my headaches.			
			E14.	My headaches place stress on my relationships	s with family or friends.			
			F15.	I avoid being around people when I have a hea	adache.			
			F16.	I believe my headaches are making it difficult	for me to achieve my goals in life.			
	<del></del>		F17.	I am unable to think clearly because of my hea	ndaches.			
			F18.	I get tense (eg, muscle tension) because of my	headaches.			
			F19.	I do not enjoy social gatherings because of my	headaches.			
			E20.	I feel irritable because of my headaches.				
			F21.	I avoid traveling because of my headaches.				
			E22.	My headaches make me feel confused.				
			E23.	My headaches make me feel frustrated.				
	<u> </u>		F24.	I find it difficult to read because of my headac	hes.			
	<u> </u>		F25.	I find it difficult to focus my attention away fro	om my headaches and on other things.			
ОТНЕ	CR COMMENTS:_							
					Evaminer			

#### **ACNC Concussion Symptom Score Sheet**

If you are unsure of a question or do not feel well enough to complete this form you may leave it blank and ask for assistance from one of our staff members. Thank you

Name:	DOB:	Date of Injury:	Today's Date:				
(0=No Symptoms) (1-2=Very Mild) (3-4=Mild) (5-6=Moderate) (7-8=Severe) (9-10=Worst Ever)							
	Please circle the number that he	st matches the way you f	feel right now				

Headache:	0	1	2	3	4	5	6	7	8	9	10	
Nausea:	0	1	2	3	4	5	6	7	8	9	10	
Vomitting:	0	1	2	3	4	5	6	7	8	9	10	
Balance Problems:	0	1	2	3	4	5	6	7	8	9	10	
Dizziness:	0	1	2	3	4	5	6	7	8	9	10	
Fatigue/Drowsiness:	0	1	2	3	4	5	6	7	8	9	10	
Trouble Falling Asleep:	0	1	2	3	4	5	6	7	8	9	10	
Needing More Sleep:	0	1	2	3	4	5	6	7	8	9	10	
Sensitivity to Light:	0	1	2	3	4	5	6	7	8	9	10	
Sensitivity to Noise:	0	1	2	3	4	5	6	7	8	9	10	
Irritability:	0	1	2	3	4	5	6	7	8	9	10	
Sadness:	0	1	2	3	4	5	6	7	8	9	10	
Nervousness:	0	1	2	3	4	5	6	7	8	9	10	
Feeling Emotional:	0	1	2	3	4	5	6	7	8	9	10	
Numbness or Tingling:	0	1	2	3	4	5	6	7	8	9	10	
Feeling Slowed Down:	0	1	2	3	4	5	6	7	8	9	10	
Feeling Mentally Foggy:	0	1	2	3	4	5	6	7	8	9	10	
Trouble Concentrating:	0	1	2	3	4	5	6	7	8	9	10	
Memory Issues:	0	1	2	3	4	5	6	7	8	9	10	
Visual Problems:	0	1	2	3	4	5	6	7	8	9	10	

	Name	
	Date	Date of Injury
Concuss	ion Questionnaire	
Please answer the following questions in good deta		
Have you ever had from MONO, STREP, MOLD E	EXPOSURE, LYME,	AUTOIMMUNITY? (Circle all that apply)
Specifically, what symptoms or stressful situation FOLLOWING your concussion?	ons were going on	BEFORE, DURING, and IMMEDIATELY
(examples- I was going through a divorce, then I go at work/school, I was dealing with IBS, constipation, diabetes, type A personality, I was on day 20 of my	/diarrhea, anxiety/de	
BEFORE		
DURING		

**IMMEDIATELY FOLLOWING**